REFERENCES:

1. Allafi A, Al-Haifi AR, Al-Fayez MA, Al-Athari BI, Al-Ajmi FA, Al-Hazzaa H *et al*. Physical activity, sedentary behaviours and dietary habits among Kuwaiti adolescents: gender differences. Public health nutrition. 2014 Sep; 17(9):2045-52.
2. Aditya Narayan Tripathi,Positive Psychology, Psychotherapy & Cognitive Behavioral Sciences. J PsycholPsychother 2017, 7:2 .
3. Anitha S, Gaur D, Vohra A, Subhash S, Khurana H. Prevalence of psychiatric morbidity among 6 to 14 years old childre. Indian J Community Med. 2003;28(3):133-137.
4. A strategic approach to reproductive, maternal, newborn, child and adolescent health in India. MOHFW; 2013.pp 13-14.
5. Chakma JK, Gupta S. Lifestyle practice and associated risk factors of noncommunicable diseases among the students of Delhi University. International Journal of Health & Allied Sciences. 2017 Jan 1;6(1):20-7.
6. Currie C, Zanotti C, Morgan A, Currie D, De LoozeM, Roberts C, et al. editors. Social determinants of health and well-being among young people.- 900 - Lima-Serrano M, Lemos I, Nunes C TextoContextoEnferm, Florianópolis, 2013 Out-Dez; 22(4): 893-900.
7. Chen MY[1], James K, Wang EK.Comparison of health-promoting behavior between Taiwanese and American adolescents: a cross-sectional questionnaire survey. Int J Nurs Stud. 2007 Jan;44(1):59-69.
8. Champion KE[1,2], Mather M[1], Spring B[2], Kay-Lambkin F[1,3], Teesson M[1], Newton NC[1]. Clustering of Multiple Risk Behaviors Among a Sample of 18-Year-Old Australians and Associations With Mental Health Outcomes: A Latent Class Analysis. Front Public Health. 2018 May 7;6:135. doi: 10.3389/fpubh.2018.00135.
9. Clark V[1], Conrad AM[1,2], Lewin TJ[1,2], Baker AL[1], Halpin SA[3], Sly KA[1,2], Todd J[3]. Addiction Vulnerability: Exploring Relationships Among Cigarette Smoking, Substance Misuse, and Early Psychosis.J Dual Diagn. 2017 Dec 20:1-11.doi: 10.1080/15504263.2017.1416436.
10. Currie CE, Elton RA, Todd J, Platt S. Indicators of socioeconomic status for adolescents: the WHO Health Behaviour in School-aged Children Survey. Health Educ Res. 1997 Sep; 12:385-97.
11. Deliens T, Deforche B, De Bourdeaudhuij I, Clarys P. Determinants of physical activity and

sedentary behaviour in university students: a qualitative study using focus group discussions. BMC Public Health. 2015 Dec;15(1):201-8.

12. de Lima TR[1], Silva DAS Prevalence of physical activity among adolescents in southern Brazil. J Bodyw Mov Ther. 2018 Jan;22(1):57-63. doi: 10.1016/j.jbmt.2017.03.022. Epub 2017 Mar 30
13. Deb S, Modak S. Prevalence of violence against children in families in Tripura and its relationship with socio-economic factors. J Inj Violence Res. 2010;2:5–18.
14. Ekblom-Bak E, Ekblom Ö, Andersson G, Wallin P, EkblomB.Physical Education and Leisure-Time Physical Activity in Youth Are Both Important for Adulthood Activity, Physical Performance, and Health.J Phys Act Health. 2018 Apr 28:1-10.doi: 10.1123/jpah.2017-0083
15. Els tin Mary S. , AnjalinD'souza& Erna Judith Roach.EFFECTIVENESS OF A LIFESTYLE MANAGEMENT PROGRAM ON KNOWLEDGE AND LIFESTYLE PRACTICES AMONG ADOLESCENTS.NUJHS Vol. 4, No.2, June 2014, ISSN 2249-7110.
16. F.M. Brooks J. Magnusson N. Spencer A. Morgan .Adolescent multiple risk behaviour: an asset approach to the role of family, school and community .*Journal of Public Health,* Volume 34, Issue suppl_1, 1 March 2012, Pages i48–i56.
17. Hezomi H[1], Nadrian H[1].What determines psychological well-being among Iranian female adolescents? Perceived stress may overshadow all determinants.Health PromotPerspect. 2018 Jan 7;8(1):79-87. doi: 10.15171/hpp.2018.10
18. International Institute for Population Sciences (IIPS) and Macro International. National Family Health Survey (NFHS‐3) 2005‐2006: India. Vol. I. Mumbai: International Institute for Population Sciences; 2007.
19. I. García-Moya F.M. Brooks N.H. Spencer. School-level factors associated with teacher connectedness: a multilevel analysis of the structural and relational school determinants of young people's health.*Journal of Public Health. July 2017.*
20. Janssen I, Katzmarzyk PT, Boyce WF, King MA, Pickett W. Overweight and obesity in Canadian adolescents and their associations with dietary habits and physical activity patterns. Journal of adolescent health. 2014 Nov 1;35(5):360-7.

21. Jia H[1], Zack MM[2], Gottesman II[3], Thompson WW[4].Associations of Smoking, Physical Inactivity, Heavy Drinking, and Obesity with Quality-Adjusted Life Expectancy among US Adults with Depression.Value Health. 2018 Mar;21(3):364-371. doi: 10.1016/j.jval.2017.08.002. Epub 2017 Oct 18.
22. Jai K. Das, M.D., M.B.A.,[a] Rehana A. Salam, M.Sc.,[a] Zohra S. Lassi, Ph.D.,[b] MariumNaveedKhan,[a]WajeehaMahmood,[c] Vikram Patel, Ph.D.,[d,e,f] and Zulfiqar A. Bhutta, Ph.D.[g,h,*]
23. Juval R, Bansal R, Kishore S, Negi K, Chandra R, Semwal. Substance use among intercollegiate students in district Dehradun. in Indian J Community Med. 2006;31:252-254.
24. Kexin Wang,ElineFrison,StevenEggermont ,Laura Vandenbosch ,(2018), Active public Facebook use and adolescents' feelings of loneliness:Evidence for a curvilinear relationship.JournalofAdolescenceVolume 67. May 2018. 35–44.
25. K.A. Levin J. Kirby C. Currie J. Inchley. Trends in adolescent eating behaviour: a multilevel cross-sectional study of 11–15 year olds in Scotland, 2002–2010 .*Journal of Public Health*, Volume 34, Issue 4, 1 December 2012, Pages 523–531.
26. Lund I[1], Scheffels J. 15-year-old tobacco and alcohol abstainers in a drier generation: Characteristics and lifestyle factors in a Norwegian cross-sectional sample. Scand J Public Health. 2018 Apr 1:140
27. Lund I[1], Scheffels J. 15-year-old tobacco and alcohol abstainers in a drier generation: Characteristics and lifestyle factors in a Norwegian cross-sectional sample. Scand J Public Health. 2018 Apr 1:140
28. Lew H Xian Z Qian M G Vaughn,(2018), Examining the relationships between life satisfaction and alcohol, tobacco and marijuana use among school-aged children.*Journal of Public Health*.May 2018.
29. Lindström M[1], Rosvall M Addictive behaviors, social and psychosocial factors, and electronic cigarette use among adolescents: a population-based study. Public Health. 2018 Feb;155:129-132. doi: 10.1016/j.puhe.2017.12.001. Epub 2018 Jan 30.
30. Musaiger A, Bader Z, Al-Roomi K, D'Souza R. Dietary and lifestyle habits amongst adolescents in Bahrain. Food & nutrition research. 2011 Jan 1;55(1):1-8
31. Mary ES, D'souza A, Roach EJ. Effectiveness of a lifestyle management program on

knowledge and lifestyle practices among adolescents. Nitte University Journal of Health Science. 2014 Jun 1;4(2):125-31.

32. Marta Lima-Serrano .Ida Lemos.CristinaNunes .“*Adolescent quality of life and health behaviors: a comparative study between adolescents from the south of Portugal and Spain.”*Textocontexto - enferm. vol.22 no.4 Florianópolis Oct./Dec. 2013.

33. Mohsen SAFFARI, Najmemolouk AMINI, Hasan EFTEKHAR ARDEBILI, HormozSANAEINASAB,Mahmoud MAHMOUDI, and Crystal N PIPER.*Educational Intervention on Health Related Lifestyle Changes Among Iranian Adolescents.*Iran Journal Public Health. 2013; 42(2): 172–181

34. Mary O. Hearst MPH, PhD , Qi Wang MS , Katherine Grannon MPH, RD, Cynthia S. Davey MS, Marilyn S. Nanney PhD, MPH, RD. Promoting Parent and Family Education on Healthy Lifestyles for Minnesota Secondary Students .Journal of school health . Volume 2:December 2016

35. Maria Muzik1,2*, Katherine Rosenblum1,2, Melisa Schuster3, Emily Stanton Kohler1,4, Emily Alfafara1 and Nicole Miller1A Mental Health and Parenting Intervention for Adolescent and Young Adult Mothers and their Infants. J Depress Anxiety 2016, 5:3.

36. Naeeni MM, Jafari S, Fouladgar M, Heidari K, Farajzadegan Z, Fakhri M, *et al*. Nutritional knowledge, practice, and dietary habits among school children and adolescents. International journal of preventive medicine. 2014 Dec;5(Suppl 2):S171-76

37. Nair TS, Garg S, Gupta VK, Singh MM, Chandra L. Knowledge, attitude and practice of adolescents in Delhi regarding diabetes and hypertension. Ind J Youth Adol Health 2015;2(4):36-43.

38. Patrick K, Norman GJ, Calfas KJ, Sallis JF, Zabinski MF, Rupp J, *et al*. Diet, physical activity and sedentary behaviours as risk factors for overweight in adolescence. Arch PaediatrAdolesc Med 2004 Apr;158(4): 385-90.

39. Reichert J, Araújo AJ, Gonçalves CM, Godoy I, Chatkin JM, et al. (2008) Smoking cessation guidelines--2008. J Bras Pneumol 34: 845-880.

40. Ruth G Jepson,Fiona M Harris,Stephen Platt,Carol Tannahill,(2010), The effectiveness of interventions to change six health behaviours: a review of reviews.*BMC Public Health*201010:538
41. Rodelli M[1], De Bourdeaudhuij I[2], Dumon E[3], Portzky G[4], DeSmet A[5].Which healthy lifestyle factors are associated with a lower risk of suicidal ideation among adolescents faced with cyberbullying?. Preventive Medicine. 2018 Aug;113:32-40
42. Stuart GW. Adolescent psychiatric nursing: principles and practices of psychiatric nursing. 8th ed. Mosby Elsevier; 2008.
43. Sundar JS, Adaikalam JM, Parameswari S, Valarmarthi S, Kalpana S, Shantharam D. Prevalence and determinants of hypertension among urban school children in the age group of 13-17 years in, Chennai, Tamilnadu. Epidemiol. 2013;3(130):2161-1165.
44. Sujindra E, Bupathy A. Adolescent friendly health services: perceptions and practice of medical professionals. Int J ReprodContraceptObstetGynaecol 2016 Sep;5(9):2968-72.
45. Soares SM, Amaral MA, Silva LB, Silva PAB. Workshops on sexuality in adolescence: revealing voices, unveiling views student's of the medium teaching glances. Esc.Anna Nery [on line]. 2008 July/Sept;[cited 2015 abril 20];12(3).
46. Singh Sunitha .GopalkrishnaGururaj .*Health behaviours& problems among young people in India: Cause for concern & call for action.*Indian J Med Res. 2014 Aug; 140(2): 185–208.
47. Sharma B[1], Chavez RC[1], Nam EW[1].Prevalence and correlates of insufficient physical activity in school adolescents in Peru.Rev SaudePublica. 2018;52:51. doi: 10.11606/s1518-8787.2018052000202. Epub 2018 May 21.
48. Simonato I[1], Janosz M[1], Archambault I[2], Pagani LS[3].Prospective associations between toddler televiewing and subsequent lifestyle habits in adolescence.Prev Med. 2018 May;110:24-30. doi: 10.1016/j.ypmed.2018.02.008. Epub 2018 Feb 7.
49. Sousa ZAA, Silva JG, Ferreira MA. Knowledge and practices of teenagers about health: implications for the lifestyle and self care. Esc.Anna Nery [on line]. 2014 July/Sept;[cited 2015 abril 20];18(3).

50. Sulabha P, Sunitha K, Shrikanth S, Vaidehi Y. A Profile of Youth in India. National Family Health Survey (NFHS-3), India, 2005-06. Mumbai: International Institute of Population sciences; 2009.
51. Sunderlal, Adarsh, Pankaj. Textbook of Community Medicine. 3rd ed. CBS publishers; 2011.pp 154-160.
52. Sharma R, Grover V, Chaturvedi S. Healthrisk behaviors related to road safety among adolescent students. Indian Journal of Medical Sciences. 2007;61(12):656.
53. Tee JYH[1], Gan WY[1], Tan KA[2], Chin YS ,(2018), Obesity and unhealthy lifestyle associated with poor executive function among Malaysian adolescents. PLoS One. 2018 Apr 17;13(4):e0195934.
54. Vanise dos Santos Ferreira Viero,JoniMarcio de Farias,Fabiane Ferraz,PriscylaWaleska Simões,JéssicaAbatti Martins,LucianeBisognin Ce retta,(2015) Health education with adolescents: analysis of knowledge acquisition on health topics. Esc. Anna Nery vol.19 no.3 Rio de Janeiro July./Sept. 2015.
55. World Health Organization; [accessed on August 4, 2013]. Youth violence and alcohol fact sheet. Available from:http://www.who.int/violence_injury_prevention/violence/world_report/factsheets/ft_youth.pdf
56. Who.int. PMNCH | Government of India launches new health programme for adolescents [Internet]. 2015 [cited 11 September 2015]. Available from: http://www.who.int/pmnch/media/events/2014/india_new_rksk/en/
57. WarisQidwai, [1] Sidra Ishaque, [2,*] Sabeen Shah, [1] and MaheenRahim.*Adolescent Lifestyle and Behaviour: A Survey from a Developing Country*.PLoS One. 2010; 5(9): e12914.
58. WarisQidwai, [1] Sidra Ishaque, [2,*] Sabeen Shah, [1] and MaheenRahim.*Adolescent Lifestyle and Behaviour: A Survey from a Developing Country*.PLoS One. 2010; 5(9): e12914.
59. Walther J, Aldrian U, Stüger HP, Kiefer I, Ekmekcioglu C. *Nutrition, lifestyle factors, and mental health in adolescents and young adults living in Austria*.International Journal of Adolescents Medical Health. 2014;26(3):377-86.
60. Wasserman D. Review of health and risk-behaviours, mental health problems and suicidal behaviours in young Europeans on the basis of the results from the EU-funded Saving and

Empowering Young Lives in Europe (SEYLE) study. Psychiatr Pol. 2016 Dec 23;50(6):1093-

61. Wiegersma A Hofman GA Zielhuis. Prevention of unhealthy behaviour by youth health care in The Netherlands .*Journal of Public Health*, Volume 22, Issue 3, 1 September 2000, Pages 386–392
62. Yaman C. The Effects of the Diet and Diet+ Exercise on Changes in Weight during Adolescence. Turkish Journal of Medical Sciences. 2010Apr 1;39(2):273-9.
63. Zeitoune RCG, Ferreira VS, Silveira HS, Domingos AM, Maia AC. Knowledge of teenagers about licit and ilicit drugs: a contribuition to community nursing. Esc.Anna Nery [on line]. 2012 Jan./Mar.;[cited 2015 abril 20];16(1).